

TABLE OF CONTENTS

Volume 2 Number 6

October 2011

Targeting Divalent Metal Ions at the Active Site of the HIV-1 RNase H Domain: NMR Studies on the Interactions of Divalent Metal Ions with RNase H and Its Inhibitors J. L. Yan, H. H. Wu, T. Tom, O. Brodsky, K. Maegley.....	639
Development and Validation of an LC-MS/MS Method for Quantitative Analysis of Mirtazapine in Human Plasma M. Chorilli, R. Bonfilio, C. R. Louvandini, F. A. R. M. Gonçalves, H. R. N. Salgado.....	650
Analysis of Cocaine and Crack Cocaine via Thin Layer Chromatography Coupled to Easy Ambient Sonic-Spray Ionization Mass Spectrometry B. D. Sabino, W. Romão, M. L. Sodré, D. N. Correa, D. B. R. Pinto, F. O. M. Alonso, M. N. Eberlin.....	658
Chemical Profiling and Quantification of Isoflavone Phytoestrogens in Kudzu Using LC/UV/MSD Q.-L. Wu, Y.-H. Yang, J. Simon.....	665
Simultaneous Separation and Quantification of Iron and Transition Species Using LC-ICP-MS Q. H. Hu.....	675
Effect of Pre-Analytical Conditions on Salivary Nitrite Levels R. A. Morelato, T. E. Benavidez, A. M. Baruzzi, V. M. Solís, S. A. L. de Blanc.....	683
Single Drop Microextraction of Biphenyl and Biphenyl Oxide in Aqueous Samples by Gas Chromatography-Flame Ionization Detection M. Sarkhosh, A. Mehdinia, A. Jabbari, Y. Yamini.....	689
A New Thioamide Derivative for Separation and Preconcentration of Multi Elements in Aquatic Environment by Cloud Point Extraction M. M. Hassanien, A. M. Hassan, W. I. Mortada, A. A. El-Asmy.....	697
Measuring Conditions for the Determination of Lead in Iron-Matrix Samples Using Graphite Atomizers with/without a Platform in Graphite Furnace Atomic Absorption Spectrometry S. Morimoto, T. Ashino, K. Wagatsuma.....	710
A Validated Inductively Coupled Plasma-Optical Emission Spectrometry (ICP-OES) Method to Estimate Free Calcium and Phosphorus in <i>In Vitro</i> Phosphate Binding Study of Eliphos Tablets V. V. Vallapragada, G. Inti, J. S. Ramulu.....	718
Spectrophotometric Determination of Kelthane in Environmental Samples E. K. Janghel, Y. Pervez.....	726
Thiocyanate Ion Selective Solid Contact Electrode Based on Mn Complex of <i>N,N'</i>-Bis-(4-phenylazosalicylidene)-O-phenylene Diamine Ionophore W.-S. Han, T.-K. Hong, Y.-H. Lee.....	731

The figure on the front cover is from the article published in American Journal of Analytical Chemistry, 2011, Vol. 2, No. 6, pp. 718-725 by Venkata Vivekanand Vallapragada, Gopichand Inti and J. Sri Ramulu.